

Section 1. Identification

Product identifier	: PM KILOMETRICO BALLPOINT BLACK BLUE RED PENS
Product code	: PM KILOMETRICO BLACK, BLUE, RED; 2179215
Other means of identification	: PM KILOMETRICO BALLPOINT PEN BUSINESS ASSORTED BLACK BLUE RED INKS; 2179215
Product type	: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Not applicable.

Uses advised against

Not applicable.

Supplier's details	: Newell Brands Caribbean Park, Level 3, 35 Dalmore Drive Scoresby VIC 3179, Australia +61 (0)1800 NEWELL (1800 639 355) csaust@newellco.com
---------------------------	--

Emergency telephone number (with hours of operation)	: CHEMTREC@Australia +(61)-290372994 (24 hours)
---	---

Section 2. Hazard(s) identification

Classification of the substance or mixture	: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
---	--

GHS label elements

Hazard pictograms

:



Signal word	: WARNING
Hazard statements	: Causes serious eye irritation.

Precautionary statements

General	: Read carefully and follow all instructions. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear eye or face protection. Wash thoroughly after handling.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Not applicable.

Other hazards which do not result in classification	: None known.
--	---------------

Section 3. Composition and ingredient information

Substance/mixture	: Mixture
Other means of identification	: PM KILOMETRICO BALLPOINT PEN BUSINESS ASSORTED BLACK BLUE RED INKS; 2179215

Ingredient name	% (w/w)	CAS number
Kilometrico Ball Pen Red Ink BPSV RED 2		
2-phenoxyethanol	≥30 - ≤55	122-99-6
Kilometrico Ball Pen Black Ink 85-08-A1		
2-phenoxyethanol	≥30 - ≤60	122-99-6
benzyl alcohol	<10	100-51-6
Kilometrico Ball Pen Blue Ink 59-40 D2-A3		
2-phenoxyethanol	≥30 - ≤47	122-99-6
benzyl alcohol	≤7.8	100-51-6
2-methylpentane-2,4-diol	≤10	107-41-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Section 4. First aid measures

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Section 6. Accidental release measures

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Kilometrico Ball Pen Red Ink BPSV RED 2 2-phenoxyethanol	DFG MAC-values list (Germany, 7/2022). TWA: 1 ppm 8 hours. PEAK: 1 ppm, 4 times per shift, 15 minutes. TWA: 5.7 mg/m ³ 8 hours. PEAK: 5.7 mg/m ³ , 4 times per shift, 15 minutes.

Section 8. Exposure controls and personal protection

<p>Kilometrico Ball Pen Black Ink 85-08-A1 2-phenoxyethanol</p> <p>benzyl alcohol</p>	<p>DFG MAC-values list (Germany, 7/2022). TWA: 1 ppm 8 hours. PEAK: 1 ppm, 4 times per shift, 15 minutes. TWA: 5.7 mg/m³ 8 hours. PEAK: 5.7 mg/m³, 4 times per shift, 15 minutes.</p> <p>DFG MAC-values list (Germany, 7/2022). Absorbed through skin. PEAK: 44 mg/m³, 4 times per shift, 15 minutes. PEAK: 10 ppm, 4 times per shift, 15 minutes. TWA: 22 mg/m³ 8 hours. TWA: 5 ppm 8 hours.</p>
<p>Kilometrico Ball Pen Blue Ink 59-40 D2-A3 2-phenoxyethanol</p> <p>benzyl alcohol</p> <p>2-methylpentane-2,4-diol</p>	<p>DFG MAC-values list (Germany, 7/2022). TWA: 1 ppm 8 hours. PEAK: 1 ppm, 4 times per shift, 15 minutes. TWA: 5.7 mg/m³ 8 hours. PEAK: 5.7 mg/m³, 4 times per shift, 15 minutes.</p> <p>DFG MAC-values list (Germany, 7/2022). Absorbed through skin. PEAK: 44 mg/m³, 4 times per shift, 15 minutes. PEAK: 10 ppm, 4 times per shift, 15 minutes. TWA: 22 mg/m³ 8 hours. TWA: 5 ppm 8 hours.</p> <p>Safe Work Australia (Australia, 10/2022). PEAK: 25 ppm PEAK: 121 mg/m³</p>

Biological exposure indices

No exposure indices known.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Section 8. Exposure controls and personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Liquid.
- Color** : Not available.
- Odor** : Not available.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point/freezing point** :
- Boiling point, initial boiling point, and boiling range** :
- Flash point** : Not available.
- Fire point** :
- Evaporation rate** :
- Flammability** : Not available.
- Lower and upper explosion limit/flammability limit** :
- Vapor pressure** :

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Kilometrico Ball Pen Red Ink BPSV RED 2						
1,4-butanediol	<0.08	<0.011				
2-phenoxyethanol	0.01	0.0013	EU A.4	0.14	0.019	EU A.4
Kilometrico Ball Pen Black Ink 85-08-A1						
benzyl alcohol	0.05	0.0067				
2-phenoxyethanol	0.01	0.0013	EU A.4	0.14	0.019	EU A.4

- Relative vapor density** : Not available.
- Relative density** :
- Density** :

Section 9. Physical and chemical properties and safety characteristics

Solubility in water : Not available.

Partition coefficient: n-octanol/water :

Auto-ignition temperature :

Ingredient name	°C	°F	Method
Kilometrico Ball Pen Red Ink BPSV RED 2			
1,4-butanediol	385	725	DIN 51794
2-phenoxyethanol	500	932	
Kilometrico Ball Pen Black Ink 85-08-A1			
benzyl alcohol	436	816.8	
2-phenoxyethanol	500	932	
Kilometrico Ball Pen Blue Ink 59-40 D2-A3			
2-methylpentane-2,4-diol	305.85	582.5	
benzyl alcohol	436	816.8	
2-phenoxyethanol	500	932	

Decomposition temperature : Not available.

Viscosity :

Molecular weight :

Particle characteristics

Median particle size : Not applicable.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
Kilometrico Ball Pen Red Ink BPSV RED 2 2-phenoxyethanol	LD50 Dermal LD50 Oral	Rat Rat	14422 mg/kg 1260 mg/kg	- -
Kilometrico Ball Pen Black Ink 85-08-A1 2-phenoxyethanol	LD50 Dermal LD50 Oral	Rat Rat	14422 mg/kg 1260 mg/kg	- -
benzyl alcohol	LD50 Dermal LD50 Oral	Rabbit Rat	2000 mg/kg 1230 mg/kg	- -
Kilometrico Ball Pen Blue Ink 59-40 D2-A3 2-phenoxyethanol	LD50 Dermal LD50 Oral	Rat Rat	14422 mg/kg 1260 mg/kg	- -
benzyl alcohol	LD50 Dermal LD50 Oral	Rabbit Rat	2000 mg/kg 1230 mg/kg	- -
2-methylpentane-2,4-diol	LD50 Oral	Rat	3700 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Kilometrico Ball Pen Red Ink BPSV RED 2 2-phenoxyethanol	Eyes - Moderate irritant Eyes - Severe irritant	Rabbit Rabbit	- -	6 mg 24 hours 250 ug	- -
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Kilometrico Ball Pen Black Ink 85-08-A1 2-phenoxyethanol	Eyes - Moderate irritant Eyes - Severe irritant	Rabbit Rabbit	- -	6 mg 24 hours 250 ug	- -
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
benzyl alcohol	Skin - Mild irritant	Man	-	48 hours 16 mg	-
	Skin - Moderate irritant Skin - Moderate irritant	Pig Rabbit	- -	100 % 24 hours 100 mg	- -
Kilometrico Ball Pen Blue Ink 59-40 D2-A3 2-phenoxyethanol	Eyes - Moderate irritant Eyes - Severe irritant	Rabbit Rabbit	- -	6 mg 24 hours 250 ug	- -
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
benzyl alcohol	Skin - Mild irritant	Man	-	48 hours 16 mg	-
	Skin - Moderate irritant Skin - Moderate irritant	Pig Rabbit	- -	100 % 24 hours 100 mg	- -
2-methylpentane-2,4-diol	Skin - Mild irritant Skin - Moderate irritant	Rabbit Rabbit	- -	465 mg 24 hours 500 mg	- -

Sensitization

Not available.

Section 11. Toxicological information

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Long term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Section 11. Toxicological information

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Kilometrico Ball Pen Red Ink BPSV RED 2 Kilometrico Ball Pen Red Ink BPSV RED 2 2-phenoxyethanol	2953.3 1260	N/A 14422	N/A N/A	N/A N/A	N/A N/A
Kilometrico Ball Pen Black Ink 85-08-A1 Kilometrico Ball Pen Black Ink 85-08-A1 2-phenoxyethanol benzyl alcohol	1614.4 1260 1230	18000 14422 2000	N/A N/A N/A	N/A N/A N/A	4.5 N/A 1.5
Kilometrico Ball Pen Blue Ink 59-40 D2-A3 Kilometrico Ball Pen Blue Ink 59-40 D2-A3 2-phenoxyethanol benzyl alcohol 2-methylpentane-2,4-diol	2511.2 1260 1230 3700	26000 14422 2000 N/A	N/A N/A N/A N/A	N/A N/A N/A N/A	10.5 N/A 1.5 N/A

Other information :

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Kilometrico Ball Pen Red Ink BPSV RED 2 2-phenoxyethanol	Acute LC50 344000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Kilometrico Ball Pen Black Ink 85-08-A1 2-phenoxyethanol benzyl alcohol	Acute LC50 344000 µg/l Fresh water Acute LC50 10 ppm Fresh water	Fish - Pimephales promelas Fish - Lepomis macrochirus	96 hours 96 hours
Kilometrico Ball Pen Blue Ink 59-40 D2-A3 2-phenoxyethanol benzyl alcohol 2-methylpentane-2,4-diol	Acute LC50 344000 µg/l Fresh water Acute LC50 10 ppm Fresh water Acute EC50 2800000 µg/l Fresh water Acute EC50 3200000 µg/l Fresh water Acute LC50 8000000 µg/l Marine water	Fish - Pimephales promelas Fish - Lepomis macrochirus Crustaceans - Ceriodaphnia reticulata - Larvae Daphnia - Daphnia magna - Larvae Fish - Alburnus alburnus	96 hours 96 hours 48 hours 48 hours 96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Section 12. Ecological information

Product/ingredient name	LogP _{ow}	BCF	Potential
Kilometrico Ball Pen Red Ink BPSV RED 2 2-phenoxyethanol	1.107	0.3493	low
Kilometrico Ball Pen Black Ink 85-08-A1 2-phenoxyethanol benzyl alcohol	1.107 0.87	0.3493 -	low low
Kilometrico Ball Pen Blue Ink 59-40 D2-A3 2-phenoxyethanol benzyl alcohol 2-methylpentane-2,4-diol	1.107 0.87 0.58	0.3493 - -	low low low

Mobility in soil









Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADG	ADR/RID	IMDG	IATA
UN number	UN3082	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([4-[p, p'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium m-[[p-anilinophenyl]azo] benzenesulphonate, C. I. Solvent Red 252)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([4-[p, p'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium m-[[p-anilinophenyl]azo] benzenesulphonate, C. I. Solvent Red 252)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([4-[p, p'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium m-[[p-anilinophenyl]azo] benzenesulphonate, C. I. Solvent Red 252)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ([4-[p, p'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium m-[[p-anilinophenyl]azo] benzenesulphonate, C. I. Solvent Red 252)
Transport hazard class(es)	9  	9  	9  	9  

Section 14. Transport information

Packing group	III	III	III	III
Environmental hazards	Yes.	Yes.	Yes.	Yes.

Additional information

- ADG** : The product is not regulated as a dangerous good when transported by road or rail in either an IBC, or in other container types if ≤500 kg. This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- ADR/RID** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
Tunnel code (-)
- IMDG** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- IATA** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia** : Not determined.
- Canada** : Not determined.
- China** : Not determined.
- Eurasian Economic Union** : **Russian Federation inventory:** Not determined.
- Japan** : **Japan inventory (CSCL):** Not determined.
Japan inventory (ISHL): Not determined.

Section 15. Regulatory information

New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

Section 16. Any other relevant information

History

Date of printing	: 6/2/2023
Date of issue/Date of revision	: 6/2/2023
Date of previous issue	: No previous validation
Version	: 1
Key to abbreviations	: ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations

Procedure used to derive the classification

Classification	Justification
Kilometrico Ball Pen Red Ink BPSV RED 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A	Calculation method
Kilometrico Ball Pen Black Ink 85-08-A1 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A	Calculation method Calculation method Calculation method
Kilometrico Ball Pen Blue Ink 59-40 D2-A3 SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A	Calculation method Calculation method

References : Not available.

🔍 Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.