

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 2 of 14

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of Water and soap.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Special labelling of certain mixtures

1 - < 5 per cent of the mixture consists of component(s) of unknown acute toxicity (inhalation).
Contains 1 - < 5 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Water-based ink with pigments, binders, humiditing agents, preservatives and surface active agents.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 3 of 14

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008 (CLP))			
141-43-5	2-aminoethanol, ethanolamine			< 1 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H317 H335 H412			
112-02-7	Cetyltrimethylammoniumchloride			< 0.1 %
	203-928-6		01-2119970558-23	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410			
135-62-6	3-Hydroxy-2'-methoxy-2-naphthanilide			< 0.1 %
	205-206-6		01-2119943385-33	
	Skin Sens. 1A, Aquatic Chronic 2; H317 H411			
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol			< 0.1 %
	200-143-0	603-085-00-8	01-2119980938-15	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, Aquatic Acute 1; H312 H302 H315 H318 H335 H400			
2682-20-4	2-methylisothiazol-3(2H)-one			< 0.1 %
	220-239-6	613-326-00-9	01-2120764690-50	
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.036 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H302 H315 H318 H317 H400 H410			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 4 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
141-43-5	205-483-3	2-aminoethanol, ethanolamine	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1025 mg/kg; oral: LD50 = 1515 mg/kg STOT SE 3; H335: >= 5 - 100	
112-02-7	203-928-6	Cetyltrimethylammoniumchloride	< 0.1 %
		oral: ATE = 500 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
135-62-6	205-206-6	3-Hydroxy-2'-methoxy-2-naphthanilide	< 0.1 %
		oral: LD50 = >5000 mg/kg	
52-51-7	200-143-0	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	< 0.1 %
		dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg Aquatic Acute 1; H400: M=10	
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.036 %
		inhalation: ATE 0,21 mg/l (dusts or mists); oral: ATE 450 mg/kg Skin Sens. 1A; H317: >= 0,036 - 100 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose off safely.
If victim is at risk of losing consciousness, position and transport on their side.
Turn a vomiting person to the side.

After inhalation

In case of feeling unwell seek medical advice.

After contact with skin

Wash immediately with soap and plenty of water.

After contact with eyes

Rinse with eyelid held open for several minutes with running water. Medical treatment necessary.

After ingestion

Drink large amounts of water and fresh air.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

none, ink not burnable.

If packaging or plastic boxes are burning: Carbon dioxide (CO₂). Extinguishing powder. Water spray. Fight against a major burning with: Water spray.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 5 of 14

Unsuitable extinguishing media

For this substance / preparation no extinguishing agent restriction exist.

5.2. Special hazards arising from the substance or mixture

No specific hazards known.

5.3. Advice for firefighters

No special protective equipment.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Change contaminated clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Information for safe handling, see section 7.

Information for personal protective equipment, see section 8.

Information for disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

none

Further information on handling

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect from freezing.

Recommended storage temperatur: 5 - 35 °C

Hints on joint storage

none

7.3. Specific end use(s)

Ink in writing instrument

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 6 of 14

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL
57-50-1	Sucrose	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
57-55-6	Propylenglykol			
Worker DNEL, long-term		inhalation	systemic	168 mg/m ³
Worker DNEL, long-term		inhalation	local	10 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	50 mg/m ³
Consumer DNEL, long-term		inhalation	local	10 mg/m ³
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol			
Worker DNEL, long-term		inhalation	systemic	3,5 mg/m ³
Worker DNEL, long-term		inhalation	local	2,5 mg/m ³
Worker DNEL, acute		inhalation	systemic	2,5 mg/m ³
Worker DNEL, long-term		dermal	systemic	2 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	6 mg/kg bw/day
2682-20-4	2-methylisothiazol-3(2H)-one			
Worker DNEL, long-term		inhalation	local	0,021 mg/m ³
Worker DNEL, acute		inhalation	local	0,043 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,021 mg/m ³
Consumer DNEL, acute		inhalation	local	0,043 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,027 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,053 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL, long-term		inhalation	systemic	6,81 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 7 of 14

PNEC values

CAS No	Substance	Value
Environmental compartment		Value
57-55-6	Propylenglykol	
Freshwater		260 mg/l
Marine water		26 mg/l
Marine water (intermittent releases)		183 mg/l
Freshwater sediment		572 mg/kg
Marine sediment		57,2 mg/kg
Micro-organisms in sewage treatment plants (STP)		20000 mg/l
Soil		
112-02-7	Cetyltrimethylammoniumchloride	
Freshwater		0,00042 mg/l
Freshwater (intermittent releases)		0,00012 mg/l
Marine water		0,000042 mg/l
Freshwater sediment		68 mg/kg
Marine sediment		6,8 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,4 mg/l
Soil		0,4 mg/kg
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	
Freshwater		0,01 mg/l
Marine water		0,001 mg/l
Freshwater sediment		0,041 mg/kg
Marine sediment		0,003 mg/kg
2682-20-4	2-methylisothiazol-3(2H)-one	
Freshwater		0,00339 mg/l
Freshwater (intermittent releases)		0,00339 mg/l
Marine water		0,00339 mg/l
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		0,0471 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (intermittent releases)		0,0011 mg/l
Marine water		0,000403 mg/l
Freshwater sediment		0,0499 mg/l
Marine sediment		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l
Soil		3 mg/kg

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

For normal use not necessary.

Hand protection

For normal use not necessary.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 8 of 14

Skin protection

For normal use not necessary.

Respiratory protection

not necessary

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	geranium bright
Odour:	neutral
Melting point/freezing point:	<0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	No data available.
Lower explosion limits:	No data available.
Upper explosion limits:	No data available.
Flash point:	> 109 °C
Auto-ignition temperature:	>400 °C
Decomposition temperature:	No data available.
pH-Value:	8,8-9,0
Viscosity / kinematic:	No data available.
Water solubility:	completely miscible
Solubility in other solvents	No data available.
Partition coefficient n-octanol/water:	No data available.
Vapour pressure:	No data available.
(at 20 °C)	
Vapour pressure:	No data available.
Density (at 20 °C):	1 g/cm ³
Bulk density:	No data available.
Relative vapour density:	No data available.
Particle characteristics:	not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties	
not Explosive.	
Sustained combustibility:	No sustained combustibility
Self-ignition temperature	
Solid:	No data available.
Gas:	No data available.
Oxidizing properties	
Non-oxidizing.	

Other safety characteristics

Evaporation rate:	No data available.
Solvent separation test:	No data available.
Solvent content:	3,00 %
Solid content:	ca. 10%
Sublimation point:	No data available.
Softening point:	No data available.
Pour point:	No data available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 9 of 14

Viscosity / dynamic:
(at 20 °C)

7,4 mPa·s

Flow time:

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Not proof against strong acids and bases.

Not proof against oxidizing and reducing agents.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Heavy acid.

strong alkalis

strong oxidizers

Reducing agents, strong.

10.6. Hazardous decomposition products

none known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 (CLP)

Acute toxicity

LD50: > 4000 mg/kg (Acute toxicity, oral, Rat calculated)

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 10 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
141-43-5	2-aminoethanol, ethanolamine				
	oral	LD50 mg/kg	1515	Rat	
	dermal	LD50 mg/kg	1025	Rabbit	IUCLID
	inhalation vapour	ATE	11 mg/l		
	inhalation dust/mist	ATE	1,5 mg/l		
112-02-7	Cetyltrimethylammoniumchloride				
	oral	ATE	500 mg/kg		
135-62-6	3-Hydroxy-2'-methoxy-2-naphthanilide				
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier OECD 401
52-51-7	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol				
	oral	ATE	500 mg/kg		
	dermal	ATE mg/kg	1100		
2682-20-4	2-methylisothiazol-3(2H)-one				
	oral	ATE	100 mg/kg		
	dermal	ATE	300 mg/kg		
	inhalation vapour	ATE	0,5 mg/l		
	inhalation dust/mist	ATE	0,05 mg/l		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE	450 mg/kg		
	inhalation dust/mist	ATE	0,21 mg/l		

Irritation and corrosivity

Primary irritation: Irritant effect on the skin: none known
Irritant effect on the eye: Slight irritation possible

11.2. Information on other hazards

Other information

none known

SECTION 12: Ecological information

12.1. Toxicity

No toxicity.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 11 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
141-43-5	2-aminoethanol, ethanolamine					
	Acute fish toxicity	LC50	150 mg/l	96 h	Onchorhynchus mykiss	IUCLID
	Acute algae toxicity	ErC50	22 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	
112-02-7	Cetyltrimethylammoniumchloride					
	Acute fish toxicity	LC50	0,1 mg/l	96 h		Gestis
	Acute crustacea toxicity	EC50	0,1 mg/l	48 h		Gestis
135-62-6	3-Hydroxy-2'-methoxy-2-naphthanilide					
	Acute crustacea toxicity	EC50	2,31 mg/l	48 h	Daphnia magna (Great Water flea)	ECHA Dossier OECD 202
	Crustacea toxicity	NOEC	1,25 mg/l	2 d	Daphnia magna (Great Water flea)	ECHA Dossier OECD 202

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-aminoethanol, ethanolamine	-1,91 (25°C)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REGULATION (EC) NO 1907/2006 (REACH).

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to official state regulations and local regulations.
Disposal identification: Water-based colours
Water-based inks

List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

List of Wastes Code - used product

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 12 of 14

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

List of Wastes Code - contaminated packaging

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

Contaminated packaging

Clean with water.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

Other applicable information

No dangerous good in sense of these transport regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 13 of 14

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: 3%

Directive 2004/42/EC on VOC in paints and varnishes: 3%

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Acute Tox. 2: Acute toxicity, hazard category 2

Skin Corr. 1B: Skin corrosion, sub-category 1B

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

Skin Sens. 1: Skin sensitisation, hazard category 1

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

EC: European Community

CAS: Chemical Abstracts

TRGS: Technische Regeln für Gefahrstoffe

LD: letal Dose

DIN: Deutsches Institut für Normung

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

A.W.: Anton Wolfgang

HZVA: Production, Blending, Sale and Application. Abbreviation of the European waste register.

VOC: Volatile Organic Compounds

EN: Europäische Norm

GHS: Globally Harmonized System

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 (CLP)

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Albrecht Dürer Aquarell-Marker 30 Colours

Revision: 17.04.2025

Page 14 of 14

H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)