

SECTION 1 Product & Supplier Identification

Product Name	EverZart Permanent Pen
Other Names	Permanent Pen
Product Code	PN145
Barcode Number	
Recommended Use	Permanent pen for use on various surfaces, paper, plastic, wood, etcetera.
Restrictions on Use	None known
Company	Zart Art
ABN	24 621 120 321
Address	14-17 Dansu Court, Hallam, VIC 3803
Telephone	+61 3 9890 1867
Supplier Code	
Emergency Phone Number	Australia – 13 11 26 (Poisons Information Centre)

SECTION 2 Hazards Identification

Classification of the hazardous chemical

Classified as hazardous chemical and a dangerous good according to OHS regulations and the DG code.

Physical hazards	Flammable liquid	Category 2
Health hazards	Serious Eye damage / Irritation	Category 1
	Sensitisation of the skin	Category 1
	Skin irritation	Category 2
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 2
Environmental hazards	Not classified	

Label elements, including precautionary statements

Hazard symbols



Flammable

Corrosion

Health hazard

Exclamation mark

Signal word

Danger

Hazard Statements

H225 Highly flammable liquid and vapour
 H318 Causes serious eye damage
 H315 Causes skin irritation
 H317 May cause an allergic skin reaction
 H341 Suspected of causing genetic defects
 H351 Suspected of causing cancer

Precautionary statements

Prevention

P202 Do not handle until all safety precautions have been read and understood.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 Avoid breathing fumes / vapours.
 P264 Wash hands thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves / protective clothing / eye protection.

Response

P303+P361+P353 IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P308+P313 If exposed or concerned: Get medical advice / attention.

SECTION 6

Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away, isolate hazard area and prevent entry. If safe to do so stop leak. Wear appropriate protective equipment during clean up. Contain spill to prevent contamination to drains / water ways. Environmental Protection Authority and Local authorities should be contacted if spill cannot be contained. Collect and seal in clearly and properly labelled containers for disposal in accordance with local regulations. Heed advice under Section 8 "Personal Protection".

For emergency responders

Keep unnecessary personnel away, isolate hazard area and prevent entry. If safe to do so stop leak. Wear appropriate protective equipment during clean up. Contain spill to prevent contamination to drains / water ways. Heed advice under Section 8 "Personal Protection".

Environmental precautions

Avoid discharge to drains, water ways or onto the ground.

Methods and materials for containment and clean up

Large spills – Stop flow of material, if safe to do so. Contain spill where possible. Absorb spill in sand, vermiculite, dry earth or other inert absorbent material. Collect and seal in clearly and properly labelled containers for disposal in accordance with local regulations. Small spills – Wipe / clean up with ethanol based cleaning agent.

SECTION 7

Handling & Storage

Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, sheltered location away sources of ignition. Keep containers tightly closed when not in use. Store in clearly labelled containers.

SECTION 8

Exposure Controls / Personal Protection

Occupational exposure limits (OEL's)

No OEL's noted for this product. However, for individual components,

Ethanol	64-17-5	1880 mg/m ³ (TWA)
1-methoxy-2-propanol	107-98-2	369 mg/m ³ (TWA)

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to a minimum.

Biological limit values

No biological exposure values noted for this product.

Appropriate engineering controls

Use in a well-ventilated area. Provide an eyewash station and safety shower.

Individual protection measures, for example personal protective equipment (PPE)

Eye protection

Wear safety goggles and face shield.

Skin protection

Wear impervious gloves and appropriate non-porous protective clothing. Do not wear short sleeve tops or short pants where unprotected skin is exposed.

Hygiene measures

Use and maintain good industrial hygiene. Always wash hands after use. Routinely maintain safety equipment. Do not eat, smoke or drink when handling this product.

SECTION 9 **Physical & Chemical Properties**

Appearance	Black coloured liquid
Odour	Solvent odour
Odour threshold	Not available
pH	4.0 -5.0
Melt point / freeze point	Not available
Hardening time	Not available
Flash point	13°C
Flammability	Flammable
Autoignition Temperature	287°C
Ignition Temperature	Product is not self-igniting
Boiling Point	78°C
Vapour Pressure	59 hPa at 20°C
Vapour Density	Not available
Relative density	Not available
Solubility in water	Miscible
Specific Gravity	Not available

SECTION 10 **Stability & Reactivity**

Reactivity Product is considered non-reactive under normal conditions of use, storage and transport.

Chemical stability This product is considered stable under normal conditions of use.

Possibility of hazardous reactions
Hazardous polymerisation will not occur.

Conditions to avoid None known.

Incompatible materials None known.

Hazardous decomposition
In a fire product may give rise to the release of obnoxious fumes including oxides of carbon.

SECTION 11 **Toxicological Information**

Information on possible routes of exposure

- Inhalation** Minor irritation may be expected in some individuals.
- Skin contact** Irritation may be expected in some individuals.
- Eye contact** Irritation would be expected.
- Ingestion** Irritation may be expected in some individuals.

Acute Health Effects

- Skin** Likely to cause irritation, redness, pain and rash.
- Eye** Likely to cause eye irritation, tearing, pain and redness.

Skin corrosion / irritation
Causes skin irritation.

Serious eye damage / irritation
Causes serious eye damage.

Respiratory or skin sensitisation
May cause an allergic skin reaction.

Carcinogenicity Suspected of causing cancer.

Germ Cell Mutagenicity
Suspected of causing genetic defects.

Reproductive toxicity

Based on classification principles, the classification criteria are not met.

Additional Information

This product does NOT contain, Egg, dairy, soy, seafood, shellfish or peanut products, by-products or derivatives.

SECTION 12

Ecological Information

Ecotoxicity

No specific data is available for this product. However, do not release this product or any water contaminated with this product into drains, soils or waterways. Sufficient measures should be taken to retain the water used in extinguishing any fires involving this product. Dispose of contaminant in accordance with local landfill or incineration regulations.

Persistence and degradability

No specific data available.

Bio accumulative potential

No specific data available.

Mobility in soil

No specific data available.

SECTION 13

Disposal Considerations

Disposal methods

Dispose of this product and any water contaminated with this product in accordance with local regulations.

Contaminated packaging

The container in which the product is/was contained should also be disposed of in accordance with local regulations.

SECTION 14

Transport Information

ADG

Classified as a dangerous goods.

UN Number	1263
Proper Shipping Name	Paint
Class and Subsidiary Risk(s)	3
Packaging Group	II
Hazchem Code	•3YE(3)

IMDG

Classified as a dangerous goods.

UN Number	1263
Proper Shipping Name	Paint
Class and Subsidiary Risk(s)	3
Packaging Group	II
Hazchem Code	•3YE(3)

Special Precautions

Transportation of product must conform with ADG requirements.

SECTION 15

Regulatory Information

Safety, health and environmental regulations

This Safety Data Sheet was prepared in accordance with Safe Work Australia's Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Not allocated

AICS

All components are listed in the Australian Inventory of Chemical Substances.

SECTION 16**Other Information**

Reason for Revision Update 5 year review and update of information in accordance with GHS requirements. Sections 1, 2, 3, 9 and 11 information changes.

TWA The TWA (Time Weighted Average) exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded even briefly.

SWA Safe Work Australia

GHS Globally Harmonised System of classification and labelling of chemicals

ADG Australian Dangerous Goods Code

OHS Occupational Health and Safety Act and Regulations in Victoria

AICS Australia Inventory of Chemical Substances

IMDG International Maritime Dangerous Goods Code

Whilst every care has been taken in compiling these instructions, Zart Art, its employees, contractors and agents neither warrant nor represent that the material published herein is accurate or free from errors or omissions. To the extent permissible by law, Zart Art, its employees, contractors and agents shall not be liable or responsible for any errors, omissions or misrepresentations made herein.

Date Printed : 11 June 2026

Contact Point – Zart Art (BH) (03) 9890 1867

END MSDS

Page 6 of 6