Printing date 02.06.2016 Version number 9 Revision: 18.01.2016

Not classified as hazardous according to criteria of Australian Safety and Compensation Council

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: <u>UHU Epoxy Quick Set (Hardener)</u>
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesives
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FABER - CASTELL 15 GIBBON RD. WINSTON HILL NSW 2153

Toll Free: 1800 677 885 Free Fax: 1800 678 608

EMAIL: enquiries @faber-castell.com.au

· Further information obtainable from: CRD · Emergency telephone number:

POISONS INFORMATION CENTRE (PIC)

TEL: 13 11 26

### 2 Hazards identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonised System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Adhesive
- · Dangerous components:

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

5.0-<10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: No special measures required.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse out mouth and then drink plenty of water.

(Contd. on page 2)

Printing date 02.06.2016 Version number 9 Revision: 18.01.2016

Trade name: UHU Epoxy Quick Set (Hardener)

(Contd. of page 1)

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Water spray

Carbon dioxide

Foam

Fire-extinguishing powder

Use fire extinguishing methods suitable to surrounding conditions.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

Sulphur dioxide (SO2)

- Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store receptacle in a well ventilated area.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

ΔΙΙ

Printing date 02.06.2016 Version number 9 Revision: 18.01.2016

Trade name: UHU Epoxy Quick Set (Hardener)

(Contd. of page 2)

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

Rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

### 9 Physical and chemical properties

<ul> <li>Information on basic physical and of General Information</li> </ul>	chemical properties
· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Amine-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
· Flash point:	101 ℃
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	0 ℃
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower:	0.0 Vol %
	(Contd. on page 4)

(Contd. on page 4)

Printing date 02.06.2016 Version number 9 Revision: 18.01.2016

Trade name: UHU Epoxy Quick Set (Hardener)

	(Contd. of page 3
Upper:	0.0 Vol %
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.1374 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/v	water): Not determined.
· Viscosity:	
Dynamic at 20 °C:	21600 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VÕC (EC)	0.00 %
Solids content:	7.0 %
· Other information	All relevant physical data were determined for the
	mixture. All non determined data are not measurably on not relevant for the characterization of the mixture.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral LD50 | 1200 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

- AL

Printing date 02.06.2016 Version number 9 Revision: 18.01.2016

Trade name: UHU Epoxy Quick Set (Hardener)

(Contd. of page 4)

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

UN-Number	
ADG, IMDG, IATA	Void
ADN	- Void
· UN proper shipping name · ADG, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
Class	Void
· Packing group	
· ADG, IMDG, IATA	Void
Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specification

Printing date 02.06.2016 Version number 9 Revision: 18.01.2016

Trade name: UHU Epoxy Quick Set (Hardener)

(Contd. of page 5)

· UN "Model Regulation": Void

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Chemical Substances

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: CRD
- · Contact:

Frau A. Liar,

Herr Dr. C. Hanf

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

· \* Data compared to the previous version altered.