

1. COMPANY AND PRODUCT IDENTIFICATION

Duncan Enterprises 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax) www.duncan.com

Product Name: Product Use/Description:

Restrictions on use:

Details of Disributor

Company Name: Company Address: Company Phone Numbers:

Emergency Telephone Numbers:

EMERGENCY TELEPHONE NUMBERS Health Emergencies: 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time Spill and Off-Hour Health Emergencies: 800-424-9300 U.S. and Canada 703-527-3887 Outside U.S. and Canada (Collect)

Tulip Dimensional Fabric Paint Fabric paint in a variety of finishes, bottle and paint pen sizes Finishes: Slick, Matte, Glow, Glitter, Metallics, Neon, Crystals, Blazin' Brights, Sparkles, Puffy, Pearl None known

Rossdale Pty Ltd 351-353 Warrigal road Cheltenham 3191 Australia 03 9583 4411 Fax: 03 9583 4399

Poisions Information 13 11 26

2. HAZARDS IDENTIFICATION

Classification:	This substance does not meet the criteria for classification.
Hazard statement:	No required statement
Other hazards:	None
Signal word:	None
Precautionary statement:	None
Pictogram(s) by GHS:	None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Detailed formulation is submitted by the client and is proprietary information. Reportable ingredients (if applicable):

Chemical / Identity	CAS Number	Percentage / Range*
Mica	12001-26-2	0.5 ~ 3
Propylene Glycol	57-55-6	2~7
C.I. Pigment Red 122	980-26-7	1~5
Benzidine Orange	3520-72-7	1~5
Titanium Dioxide	13463-67-7	2~7
Carbon Black	1333-86-4	0.5 ~ 3
Iron Oxides	1309-37-1	1~5

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

F	
General advice:	Follow general good first aid measures.
On inhalation:	Material cannot be inhaled.
On skin contact:	Wash affected skin areas thoroughly with soap and water. Consult a physician if
	irritation persists.
On eye contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper
	and lower eyelids until irritation subsides. If irritation persists, contact a physician.
On ingestion:	Do not induce vomiting. Wash mouth out with water and drink 1 to 2 glasses of
	water. Consult a physician.
Acute/delayed symptoms:	None
Medical advice:	Not toxic. On complaints, treat symptomatically.





5. FIREFIGHTING MEASURES

Extinguishing Media		
Suitable extinguishing	Water. Foam. Dry powder. Carbon dioxide (CO ₂). Use extinguishing media	
media:	appropriate for surrounding fire.	
Unsuitable extinguishing	None	
media:		
Protection of Firefighters		
Specific hazards arising	No particular hazards	
from the chemical:		
Protective equipment for	Use standard firefighting procedures and consider the hazards of other involved	
firefighters:	materials.	
Special precautions for	Wear full protective clothing, including helmet, self-contained positive pressure or	
firefighters:	pressure demand breathing apparatus, protective clothing and face mask.	
Will hazardous	Will not occur.	
combustion occur:		

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.
_	Avoid inhalation of vapors and contact with skin and eyes. Wear suitable protective
	clothing. See Section 8 of the SDS for personal protective equipment.
Environmental	Do not allow to enter drains, sewer or water course.
precautions:	
Methods for cleaning up:	Clean up in accordance with all applicable regulations. Remove sources of ignition.
	Absorb spillage with non-combustible, absorbent material. Containers with collected
	spillage must be properly labeled with correct contents and hazard symbol.
Recommended personal	See Section 8 of this SDS.
protective equipment:	

7. HANDLING AND STORAGE

Safe storage:	Store in a cool, dry place. Keep in container closed when not in use. 40 – 100°F.
_	Protect from freezing.
Safe handling:	Wash thoroughly after handling. Remove contaminated clothing and wash before
	reuse. Avoid contact with eyes. Avoid ingestion and inhalation.
Known incompatibilities:	None known
-	

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational exposure limits:

			TWA		STEL	
Standard Name	Cas No	TWA ppm	mgm3	STEL ppm	mgm3	Notes
			2.5			
Mica	12001-26-2	-	(inspirable)	-	-	Referenced safe Work Australia Exposure Standards
						H (see Chapter 14)
Titanium dioxide (a)	13463-67-7	-	10	-	-	Referenced Safe Work Australia Exposure Standards
Carbon black	1333-86-4	-	3	-	-	
						H (see Chapter 17)
Iron oxide fume (Fe2O3) (as Fe)	1309-37-1	-	5	-	-	Referenced Safe Work Australia Exposure Standards

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH REL
Mica	3 mg/m3 TWA; The value is for particulate matter containing no asbestos and <1% crystalline silica. (Respirable fraction)	20 mppcf (Silicates) (Z-3)	3 mg/m3 TWA
Titanium Dioxide	10 mg/m3 TWA; Appendix A4 - Not Classifiable as a Human Carcinogen	15 mg/m3 TWA	5,000 mg/m3
Carbon Black	3.5 mg/m3	TWA 3.5 mg/m3	TWA 3.5 mg/m3 Ca TWA 0.1 mg
Iron Oxides	5 mg/m3 (fume)	5 mg/m3 (dust and fume)	5 mg/m3 (resp.)

Page 2 of 7 Tulip Dimensional Fabric Paint – S-19-0047



Sheet

Appropriate engineering controls: No special requirements under ordinary conditions of use and with adequate ventilation.

Individual protection measures, such as PPE (personal protective equipment):

	Personal Protection Equipment:
Respiratory protection:	None required under normal handling conditions.
Eye protection:	Wear safety glasses with side shield.
Hand protection:	Protective gloves are not required commonly; on permanent skin contact gloves for low mechanic and substantial stress are enough. Protective gloves to be applied have to comply with the specifications of EU directive 89/686/EEC and EN 374, e.g. Matter: Butyl Rubber; Thickness: >0,4mm; Penetration Time: >30minutes.
Skin protection:	Skin protection products are not as effective as protective gloves, so suitable protective gloves are preferred if possible.
Further information:	This product is classified as non-hazardous. However, the usual precautions for harmful chemicals must be observed to avoid contact with the skin, eyes and respiratory tract.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical	Liquid
state/appearance:	
Color:	Various
Odor:	Slight
Odor threshold:	N/Ă
pH:	N/A
Boiling point/range:	>212°F
Melting point/range:	<32°F
Flash point:	Not applicable (aqueous system)
Evaporation rate:	0.62
Vapor density (Air=1):	1
Solubility(ies):	Miscible in water
Vapor pressure:	17.5 mm Hg @20°C (68°F)
Relative density:	N/A
Viscosity:	N/A
Partition coefficient	N/A
(n-octanol/water), if	
applicable:	
Explosive properties:	N/A
Flammability: (solid,	N/A
gas)	
Flammability limit in	N/A
air:	
upper/lower	
Autoignition	N/A
temperature:	
Decomposition	N/A
temperature:	

10. STABILITY AND REACTIVITY

Chemical stability:	Stable under normal temperatures
Conditions to avoid:	N/A
Incompatible materials:	N/A



Sheet

Hazardous	At thermal decomposition temperature, carbon monoxide and carbon dioxide
decomposition	
products:	
Possibility of	Will not occur
hazardous reactions:	

Information on likely routes of exposure: Eye contact - serious eye damage or irritation Skin contact - skin corrison, sensitization or irritation: Ingestion - carcinogenicity/aspiration hazard: Instantion: Inhalation - respiratory sensitization or irritation/toxicity: Symptoms related to the physical chemical and toxicological characteristics: Information on information on information on toxicological chemical and toxicological effects: Delayed or immediate effects: Delayed or immediate effects: Sypeific target organ toxicity (repeated exposure): Specific target organ toxicity (repeated exposure): Propylene Glycol 22gm/kg (22000mg/kg) dog 13350mg/kg (1350mg/kg) quinea plg 22gm/kg (22000mg/kg) rat > 2080mg/kg (rabbit dis50mg/kg) rabbit C.1. Pigment Red 122 > 23gm/kg (5000mg/kg) rat > 23gm/kg (3000mg/kg) rabbit C.1. Pigment Red 122 > 23gm/kg (1500mg/kg) rat > 23gm/kg (3000mg/kg) rabbit Secting Orange is conding on additional component data on to habbit > 33gm/kg (3000mg/kg) rabbit	11. TOXICOLOGICAL INFORMATION					
Eye contact - serious eye damage or irritation Slight, transient serious Skin contact - skin corrosion, sensitization or irritation: Ingestion - carcinogenicit//aspiration hazard: No hazard in normal industrial use Inhalation - respiratory sensitization/toxicity: No hazard in normal industrial use Symptoms related to the physical chemical and toxicological characteristics: N/A Information on toxicological effects: N/A Germ cell mutagenicity: N/A Specific target organ toxicity (respeated exposure): N/A Specific target organ toxicity (respeated exposure): N/A Chemical Isted on NTP, IARC or OSHA as a Carcinogen: N/A Chemical Isted on NTP, IARC or OSHA as a 22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (2000mg/kg) rat > 2080mg/kg (2080mg/kg) rabbit No data C1. Pigment Red 122 > 23gm/kg (23000mg/kg) rat Serojfic target organ No data C1. Pigment Red 122 > 23gm/kg (2000mg/kg) rat > 2080mg/kg (18500mg/kg) rabbit > 3gm/kg (3000mg/kg) rabbit						
eye damage or irritation No hazard in normal industrial use Skin contact - skin corrosion, sensitization or irritation: No hazard in normal industrial use Ingestion - carcinogenicity/aspiration hazard: No hazard in normal industrial use Inhalation - respiratory sensitization/toxicity: No hazard in normal industrial use Symptoms related to the physical chemical and toxicological characteristics: This product should be considered non-hazardous and has no known chronic effects. Delayed or immediate effects: N/A Germ cell mutagenicity: N/A Specific target organ toxicity (ringle exposure): N/A Chemical Name; exposure): N/A Chemical Sisted on NTP, ACarcinogen: N/A Propylene Glycol Propylene Glycol 22gm/kg (2000mg/kg) dog 18350mg/kg (1830mg/kg) guinea plig 22gm/kg (2000mg/kg) rat > 20800mg/kg (18300mg/kg) rabbit No data C.I. Pigment Red 122 2 3gm/kg (2000mg/kg) rat 2 3gm/kg (2000mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data Gernorel matagenet Red 122 2 3gm/kg (2000mg/kg) rat 2 3gm/kg (2000mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data	-					
Skin contact - skin corrosion, sensitization or irritation: No hazard in normal industrial use Ingestion - carcinogenicity/aspiration hazard: No hazard in normal industrial use Inhalation - respiratory sensitization/toxicity: No hazard in normal industrial use Symptoms related to the physical chemical and toxicological characteristics: Ni/A Information on toxicological effects: Ni/A Gern cell mutagenicity: N/A Specific target organ toxicity (single exposure): Ni/A Specific target organ toxicity (single exposure): N/A Chemical Name: Oral LD50 Dermal LD50 Inhalation LC50 Propylene Glycol 22gm/kg (22000mg/kg) dug 18550mg/kg (18500mg/kg) quail 18500mg/kg (18500mg/kg) rabbit 20800mg/kg rabbit 20800mg/kg rabbit No data C.I. Pigment Red 122 > 23gm/kg (3000mg/kg) rat 18500mg/kg (18600mg/kg) rabbit > 3gm/kg (3000mg/kg) rabbit No data						
or irritation: Ingestion – carcinogenicity/aspiration hazard:No hazard in normal industrial use carcinogenicity/aspirators No hazard in normal industrial use sensitization/toxicity:Symptoms related to the physical chemical and toxicological characteristics:No hazard in normal industrial use toxicological characteristics:Information on toxicological effects:N/ACerrencell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicological:N/ASpecific target organ toxicity (single exposure):N/AChemical Name: pig 22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) (guilat 18500mg/kg (18500mg/kg) ratbit20800mg/kg) rabbitChemical Name: pig 22gm/kg (22000mg/kg) nause 20gm/kg (22000mg/kg) ratbit20800mg/kg) rabbitC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 20300mg/kg (ratboomg/kg) ratbitServictine organ toxicky (rapeated exposure):> 3gm/kg (3000mg/kg) rabbitC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 2030mg/kg (18400mg/kg) rat > 2030mg/kg (ratboomg/kg) rabbitC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 2030mg/kg (ratboomg/kg) ratbitServictine Orange pig 22gm/kg (23000mg/kg) rat > 2030mg/kg (ratboomg/kg) ratbit> 3gm/kg (3000mg/kg) rabbit		No hazard in normal industrial use				
Ingestion - carcinogenicit//aspiration hazard:No hazard in normal industrial useInhalation - respiratory sensitization/toxicity:No hazard in normal industrial useSymptoms related to the physical chemical and toxicological characteristics:This product should be considered non-hazardous and has no known chronic effects.Information on toxicological effects:N/ADelayed or immediate effects:N/AGerm cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ carcinogen:N/AChemical Name: pig 22gm/kg (22000mg/kg) quail 18350mg/kg (18350mg/kg) quail 18500mg/kg (18500mg/kg) ratbitDermal LD50Propylene Glycol 22gm/kg (22000mg/kg) quail 18500mg/kg (18500mg/kg) ratbit20800mg/kg (2000mg/kg) rat 3 3gm/kg (3000mg/kg) rabbitC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 23gm/kg (15400mg/kg) ratNo dataBenzidine Orange Carbon Black> 5gm/kg (5400mg/kg) rat > 5gm/kg (15400mg/kg) ratNo data	corrosion, sensitization					
carcinogenicity/aspiration hazard: Inhalation – respiratory sensitization/toxicity:No hazard in normal industrial useSymptoms related to the physical chemical and toxicological characteristics:This product should be considered non-hazardous and has no known chronic effects.Information on toxicological effects:N/ADelayed or immediate effects:N/AGerm cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicity (repeated exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name: pig 22gm/kg (22000mg/kg) quait 18500mg/kg (18350mg/kg) quait 18500mg/kg (18350mg/kg) ratbitDermal LD50Inhalation LC50Propylene Glycol22gm/kg (22000mg/kg) ratbit20800mg/kg (3000mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (2000mg/kg) rat > 15400mg/kg (18400mg/kg) ratbit> 3gm/kg (3000mg/kg) rabbitNo data	or irritation:					
hazard: Inhalation – respiratory Inhalation – respiratory No hazard in normal industrial use sensitization/toxicity: This product should be considered non-hazardous and has no known chronic effects. characteristics: This product should be considered non-hazardous and has no known chronic effects. Information on toxicological effects: N/A Delayed or immediate effects: N/A Specific target organ toxicity (single exposure): N/A Specific target organ toxicity (repeated exposure): N/A Chemical Name: Oral LD50 Dermal LD50 Inhalation LC50 Propylene Glycol 22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (2000mg/kg) rat > 20800mg/kg No data C.I. Pigment Red 122 > 23gm/kg (23000mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data Benzidine Orange > 5gm/kg (5000mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data	Ingestion –	No hazard in normal industrial use				
Inhalation – respiratory sensitization/toxicity: No hazard in normal industrial use Symptoms related to the physical chemical and toxicological characteristics: This product should be considered non-hazardous and has no known chronic effects. Information on toxicological effects: N/A Delayed or immediate effects: N/A Germ cell mutagenicity: N/A Specific target organ toxicity (single exposure): N/A Specific target organ toxicity (repeated exposure): N/A Chemical listed on NTP, IARC or OSHA as a Carcinogen: N/A Propylene Glycol 22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (2000mg/kg) rat > 20800mg/kg (20800mg/kg) rat > 20800mg/kg (20800mg/kg) rat > 20800mg/kg (20800mg/kg) rat > 20800mg/kg (rabbit No data C.1. Pigment Red 122 > 23gm/kg (5000mg/kg) rat > 23gm/kg (5000mg/kg) rat > 23gm/kg (2000mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data Benzidine Orange > 5gm/kg (5000mg/kg) rat > 15400mg/kg (15400mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data	carcinogenicity/aspiration	n				
sensitization/toxicity: Symptoms related to the physical chemical and toxicological effects: Information on toxicological effects: Delayed or immediate effects: Germ cell mutagenicity: N/A Specific target organ toxicity (single exposure): Specific target organ toxicity (single exposure): Specific target organ toxicity (single exposure): N/A M/A Chemicals listed on NTP, IARC or OSHA as a Carcinogen: Chemical Name: Oral LD50 Dermal LD50 Inhalation LC50 Propylene Glycol 22gm/kg (2200mg/kg) dog 18350mg/kg) guinea pig 22gm/kg (2200mg/kg) quail 18500mg/kg) (ratit) > 20800mg/kg) rabbit Chemical Name: 22gm/kg (22000mg/kg) quail 18500mg/kg) rabbit Soudomg/kg (rabbit) C.1. Pigment Red 122 23gm/kg (5000mg/kg) ratit 20800mg/kg (ratit) 23gm/kg (5000mg/kg) ratit 20800mg/kg (ratit) 23gm/kg (5000mg/kg) ratit 20800mg/kg rabbit Soudomg/kg rabbit						
Symptoms related to the physical chemical and toxicological characteristics:This product should be considered non-hazardous and has no known chronic effects.Information on toxicological effects:N/ADelayed or immediate effects:N/AGerm cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/AChemical Name:Oral LD50Denayed or Single:N/AChemical Name:Oral LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat > > 2080mg/kg (rabbitC.1. Pigment Red 122> 23gm/kg (23000mg/kg) rat 2 3gm/kg (15400mg/kg) rat > > 15400mg/kg (15400mg/kg) rat > > 3gm/kg (3000mg/kg) rabbit		No hazard in normal industrial use				
physical chemical and toxicological characteristics:N/AInformation on toxicological effects:N/ADelayed or immediate effects:N/AGern cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicity (repeated exposure):N/AChemical Name:Oral LD50Demical Name:Oral LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat > 20800mg/kg (rational in the store of the						
toxicological characteristics:N/AInformation on toxicological effects:N/ADelayed or immediate effects:N/AGerm cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicity (repeated exposure):N/AChemical Name:Oral LD50Chemical Name:Oral LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat > > 2080mg/kg (rat 20gm/kg (23000mg/kg) rabbitC.1. Pigment Red 122> 23gm/kg (23000mg/kg) rat > > 2030mg/kg (rat 18500mg/kg (18400mg/kg) ratC.1. Pigment Red 122> 23gm/kg (5000mg/kg) rat > > 3gm/kg (3000mg/kg) rabbitBenzidine Orange> 5gm/kg (5000mg/kg) rat > > 3gm/kg (3000mg/kg) rabbit		This product should be considered	non-hazardous and has no	o known chronic effects.		
characteristics:N/AInformation on toxicological effects:N/ADelayed or immediate effects:N/AGerm cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicity (repeated exposure):N/ASpecific target organ toxicity (repeated exposure):N/AMASpecific target organ toxicity (repeated exposure):N/AChemical Sited on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat > 2080mg/kg (2080mg/kg) rabitNo dataCl. Pigment Red 122>23gm/kg (23000mg/kg) rat > 2030mg/kg (15400mg/kg) rat> 3gm/kg 3gm/kg (3000mg/kg) rabbitBenzidine Orange> 5gm/kg (5000mg/kg) rat 15400mg/kg (15400mg/kg) rat> 3gm/kg 3gm/kg (3000mg/kg) rabbit						
Information on toxicological effects: N/A Delayed or immediate effects: N/A Germ cell mutagenicity: N/A Specific target organ toxicity (single exposure): N/A Specific target organ toxicity (repeated exposure): N/A Chemicals listed on NTP, IARC or OSHA as a Carcinogen: N/A Chemical Name: Oral LD50 Dermal LD50 Inhalation LC50 Propylene Glycol 22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) quilei absomg/kg (2000mg/kg) rat > 20800mg/kg (rabbit No data C.I. Pigment Red 122 > 23gm/kg (2000mg/kg) rat > 2080/mg/kg (18500mg/kg) rabbit > 3gm/kg (3000mg/kg) rabbit No data Benzidine Orange > 5gm/kg (5000mg/kg) rat > 15400mg/kg (15400mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data						
toxicological effects:Delayed or immediate effects:N/AGerm cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicity (repeated exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat > 2080mg/kg (2800mg/kg) ratbit20800mg/kg (20800mg/kg) rabbitC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 20800mg/kg (15400mg/kg) rat > 15400mg/kg (15400mg/kg) rat > 15400mg/kg (15400mg/kg) rat > 15400mg/kg (15400mg/kg) rat > 3gm/kg (3000mg/kg) rabbit> 3gm/kg (3000mg/kg) rabbit						
Delayed or immediate effects:N/AGerm cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicity (repeated exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat > 2080mg/kg (2880mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (2800mg/kg) rat 2 3gm/kg (2800mg/kg) rat > 15400mg/kg (15400mg/kg) rat> 3gm/kg 3gm/kg (3000mg/kg) rabbit		N/A				
effects:Germ cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat >> 20800mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (5000mg/kg) rat >> 23gm/kg (5000mg/kg) rat >> 15400mg/kg (15400mg/kg) rat >> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange> 5gm/kg (5000mg/kg) rat >> 15400mg/kg (15400mg/kg) rat >> 3gm/kg (3000mg/kg) rabbitNo data						
Germ cell mutagenicity:N/ASpecific target organ toxicity (single exposure):N/ASpecific target organ toxicity (repeated exposure):N/AIdad Sisted on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (2000mg/kg) rat > 2080mg/kg (18500mg/kg) rat > 2080mg/kg (18500mg/kg) rat > 2080mg/kg (18500mg/kg) rat > 20800mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (5000mg/kg) rat > 5gm/kg (5000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitBenzidine Orange> 5gm/kg (5000mg/kg) rat > 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbit		N/A				
Specific target organ toxicity (single exposure): N/A Specific target organ toxicity (repeated exposure): N/A Chemicals listed on NTP, IARC or OSHA as a Carcinogen: N/A Chemical Name: Oral LD50 Dermal LD50 Inhalation LC50 Propylene Glycol 22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) rat 20800mg/kg (20800mg/kg) rabbit No data C.I. Pigment Red 122 > 23gm/kg (23000mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data Benzidine Orange > 5gm/kg (5000mg/kg) rat > 3gm/kg (3400mg/kg) rabbit No data						
toxicity (single exposure):Specific target organ toxicity (repeated exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 20800mg/kg (20800mg/kg) ratbitNo dataC.I. Pigment Red 122>2gm/kg (23000mg/kg) rat 23gm/kg (23000mg/kg) ratbit> 3gm/kg (3000mg/kg) rabbitBenzidine Orange> 5gm/kg (5000mg/kg) rat 15400mg/kg (15400mg/kg) rat 2 15400mg/kg (15400mg/kg) rat 2 3gm/kg (23000mg/kg) rabbit> 3gm/kg (3000mg/kg) rabbit						
Specific target organ toxicity (repeated exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name: Chemical Name:N/APropylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 20800mg/kg (18500mg/kg) quail 18500mg/kg (18500mg/kg) rat > 2080mg/kg (18500mg/kg) rabbitInhalation LC50 No dataC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 23gm/kg (23000mg/kg) rat > 15400mg/kg (15400mg/kg) rat S 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbit						
toxicity (repeated exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) ratbit20800mg/kg (20800mg/kg) rabbitCh. Pigment Red 122> 23gm/kg (23000mg/kg) ratbit> 3gm/kg (3000mg/kg) ratbitBenzidine Orange> 5gm/kg (5000mg/kg) rat 15400mg/kg (15400mg/kg) ratbit> 3gm/kg (3000mg/kg) rabbit						
exposure):N/AChemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 2080mg/kg (2000mg/kg) rat > 2080mg/kg (2000mg/kg) quail 18500mg/kg (18500mg/kg) quail 18500mg/kg (18500mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (5000mg/kg) rat - 203gm/kg (5000mg/kg) rat - 5gm/kg (5000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange> 5gm/kg (5000mg/kg) rat - 15400mg/kg (15400mg/kg) rat - 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo data		N/A				
Chemicals listed on NTP, IARC or OSHA as a Carcinogen:N/AChemical Name:Oral LD50Dermal LD50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 20800mg/kg (20800mg/kg) rat > 20800mg/kg (18500mg/kg) quail 18500mg/kg (18500mg/kg) rat > 2080mg/kg (18500mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 23gm/kg (23000mg/kg) rat > 23gm/kg (2000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitBenzidine Orange> 5gm/kg (5000mg/kg) rat > 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbit						
IARC or OSHA as a Carcinogen:Chemical Name:Oral LD50Dermal LD50Inhalation LC50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 2080mg/kg (20000mg/kg) rat > 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbit2080mg/kg (2000mg/kg) rabbit > 3gm/kg (3000mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (5000mg/kg) rat > 5gm/kg (5000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange Carbon Black> 15400mg/kg (15400mg/kg) rat (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo data		ΝΙ/Δ				
Carcinogen:Chemical Name:Oral LD50Dermal LD50Inhalation LC50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (22000mg/kg) rat > 2080mg/kg (20000mg/kg) rat > 2080mg/kg (20000mg/kg) rat > 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbit20800mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat > 23gm/kg (23000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange> 5gm/kg (5000mg/kg) ratNo dataNo dataCarbon Black> 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo data		N/A				
Chemical Name:Oral LD50Dermal LD50Inhalation LC50Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 2080mg/kg (20000mg/kg) rat > 2080mg/kg (20000mg/kg) rat 18500mg/kg (18500mg/kg) rabbit20800mg/kg) rabbit (20800mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat 23gm/kg (5000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange Carbon Black> 5gm/kg (5000mg/kg) rat 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo data						
Propylene Glycol22gm/kg (22000mg/kg) dog 18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 2080mg/kg (20000mg/kg) rat > 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbitNo dataC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat (3000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange> 5gm/kg (5000mg/kg) rat > 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo data	<u> </u>	Oral D50	Dermal D50	Inhelation C50		
18350mg/kg (18350mg/kg) guinea pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 2080mg/kg (20000mg/kg) rat > 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbit(20800mg/kg) rabbitC.I. Pigment Red 122 Benzidine Orange> 23gm/kg (23000mg/kg) rat 23gm/kg (5000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange Carbon Black> 5gm/kg (5000mg/kg) rat> 3gm/kg (3000mg/kg) ratNo data						
pig 22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbit						
22gm/kg (22000mg/kg) mouse 20gm/kg (20000mg/kg) rat > 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbit						
20gm/kg (20000mg/kg) rat > 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbit-C.I. Pigment Red 122 Benzidine Orange> 23gm/kg (23000mg/kg) rat (3000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitBenzidine Orange Carbon Black> 5gm/kg (5000mg/kg) rat > 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) rat > 3gm/kg (3000mg/kg) rabbitNo data No data						
> 2080mg/kg (2080mg/kg) quail 18500mg/kg (18500mg/kg) rabbit> 3gm/kgC.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat (3000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitBenzidine Orange> 5gm/kg (5000mg/kg) rat> No dataCarbon Black> 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) ratNo data(3000mg/kg) rat> 3gm/kg (3000mg/kg) ratNo data						
C.I. Pigment Red 122> 23gm/kg (23000mg/kg) rat> 3gm/kg (3000mg/kg) rabbitNo dataBenzidine Orange> 5gm/kg (5000mg/kg) ratNo data.No dataCarbon Black> 15400mg/kg (15400mg/kg) rat> 3gm/kg (3000mg/kg) ratNo data(3000mg/kg) rabbit> 3gm/kg (3000mg/kg) ratNo data		> 2080mg/kg (2080mg/kg) quail				
Image: Constraint of the second se		18500mg/kg (18500mg/kg) rabbit				
Benzidine Orange > 5gm/kg (5000mg/kg) rat No data. No data Carbon Black > 15400mg/kg (15400mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data	C.I. Pigment Red 122	> 23gm/kg (23000mg/kg) rat > 3gm/kg No data				
Carbon Black > 15400mg/kg (15400mg/kg) rat > 3gm/kg (3000mg/kg) rabbit No data						
(3000mg/kg) rabbit						
	Carbon Black	> 15400mg/kg (15400mg/kg) rat		No data		

*Estimates for product may be based on additional component data not shown.

12. ECOLOGICAL INFORMATION (NON-MANDATORY)



Safety Data

Sheet

Eco toxicity:	Small amounts of this product are not expected to cause toxicity to the environment. Components of this material are not biomagnified or bioconcentrated in the environment.
Persistence and degradability:	N/A
Bioaccumulative potential:	N/A
Aquatic / terrestrial warnings:	N/A
Mobility in soil:	N/A
Other adverse effects:	On appropriate handling and use as intended, in our experience and on current information, the product doesn't cause any adverse effects to the environment.

13. DISPOSAL CONSIDERATIONS (NON-MANDATORY)

Disposal instructions:	Residues and wastes are to be brought to an incineration site.		
Local disposal	Waste disposal should be in accordance with existing federal, state and local		
regulations:	environmental regulations.		
Hazardous waste code:	N/A		
Contaminated	Empty containers may contain product residue; follow SDS and label warnings even		
packaging:	after they have been emptied.		

14. TRANSPORTATION INFORMATION (NON-MANDATORY)

	DOT	IMDG	IATA	
UN/ID number:	Not regulated	Not regulated	Not regulated	
Proper shipping name:	N/A	N/A	N/A	
Transport hazard class:	N/A	N/A	N/A	
Packing group (if applicable):	N/A	N/A	N/A	
Environmental provisions:	N/A	N/A	N/A	
Special precautions:	N/A	N/A	N/A	
Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code		N/A		
Emergency Response Guide Number: N/A		EmS-No: N/A		
ADC Australian Denseraux Cooder Nationsulated				

ADG Australian Dangerous Goods: Not regulated___

Pictograms			
US:	IATA; IMDG:	Marine Pollutant:	
X	X	X	

15. REGULATORY INFORMATION (NON-MANDATORY)

Classification; Based on available information, not classified as hazardous according to safeWork Australia: NON hZARDOUS SUBSTANCE.

U.S. Federal Regulations:				
TSCA Section 12(b) Export Notification	Not regulated			
(40 CFR 707, Subpt. D):				
CERCLA (Superfund) reportable	None			
quantity (lbs.) (40 CFR 302.4)				
OSHA Specifically Regulated	Not regulated			
Substances (29 CFR 1910.1001-1050):				
Section 302 Extremely Hazardous	No			
Substance (40 CFR 355, Appendix A):				
Chemical CAS Reportable	Threshold	Threshold planning	Threshold planning	

Page 5 of 7

Tulip Dimensional Fabric Paint – S-19-0047



Safety Data

Sheet

Name: Number:	Quantity:	planning quantity:	quantity, lower value:	quantity, upper value:	
None X	X	X	X		
Superfund Amendments and Reauthorization Act of 1986 (SARA)					
SARA 304 Emergency	No data			,	
release notification:					
SARA 311/312 (40 CFR 37	'0) No				
Hazardous Chemical:					
SARA 313 (TRI reporting)	: <u>Ch</u>	<u>emical Name:</u> None	CAS Number: X	<u>% by wt.</u> X	
Drug Enforcement Administration (DEA) (21 CFR 1308.11-15):	Not controlle	d			
Clean Air Act (CAA) Section 112 Hazardous A Pollutants (Haps) List:	ir				
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):		No data			
Safe Drinking Water Act (SDWA):	No data	No data			
Canadian Domestic Substances List (DSL):	No data	No data			
State Regulations					
TSCA:	This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S. C. 2601 et. Seq.				
FDA:	21 CFR 175.10		•		
SARA/Title III:	under Section	This product does not contain any substances at or above the reported threshold under Section 313, based on available data.			
Conforms to Non-Toxic ASTM-4236:	recognized tox injurious to hur certified to be l standard ASTM 29 CFR Part 19	Products are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).			
California Proposition 65 Warning:	65 No warnings required under the provisions of California Proposition 65.				
HMIS III Rating:	No data				
Unless a concentration is s	Unless a concentration is specified in Section 2 of the SDS, the above chemicals(s) are present in trace amounts.			sent in trace amounts.	



Safety Data

16. OTHER INFORMATION

The recommendations and information contained in this SDS are compiled from sources believed to represent the most current information available when the SDS was prepared. However, the manufacturer / distributor of this product does not provide any warranty, guaranty of representation as to the correctness or sufficiency of this information. If this material is used in large amounts and/or an unusual manner, the user is obliged to determine what safety measures are appropriate, including the applicable and relevant workplace and environmental regulations pertaining to handling, use and disposal.

Table of Abbreviations				
ACGIH:	American Conference of Governmental Industrial Hygienists	LD:	Lethal Dose	
ANSI:	American National Standards Institute	MARPOL:	Marine Pollution	
ASTM:	American Society for Testing Materials	mg / kg:	Milligram per Kilogram	
°C:	Degrees Centigrade	mm:	Millimeter	
CAA:	Clean Air Act	MSHA:	Mine Safety and Health Administration	
CAS:	Chemical Abstract Service	N/A:	Not Applicable	
CERCLA:	Comprehensive Environmental Response, Compensation & Liability Act	NFPA:	National Fire Protections Association	
CFR:	Code of Federal Regulations	NIOSH:	National Institute for Occupational Safety and Health	
CPR:	Controlled Products Regulations	NTP	National Toxicology Program	
DEA:	Drug Enforcement Act	OEL:	Over Exposure Limit	
DOT:	Department of Transportation	OSHA:	Occupational Safety and Health Administration	
DSL:	Canadian Domestic Substances List	PEL:	Permissible Exposure Limits	
EmS:	Emergency Medical Goods Services	ppm	Parts Per Million	
EPA:	Environmental Protection Agency	SARA	Superfund Amendment and Reauthorization Act	
°F:	Degrees Fahrenheit	STEL	Short-Term Exposure Limit	
FDA:	Food & Drug Administration	SDS:	Safety Data Sheet	
g/I:	Grams per Liter	SDWA:	Safe Drinking Water Act	
HAPs:	Hazardous Air Pollutants	TLV:	Threshold Limit Value	
Hg:	Mercury	TRI:	Toxics Release Inventory	
HMIS:	Hazardous Materials Identification System	TSCA	Toxic Substances Control Act	
HNOC:	Hazard(s) Not otherwise classified	TWA	Time – Weighted Average	
IARC:	International Agency for Research on Cancer	U.N.	United Nations	
IATA:	International Air Transport Association	WHMIS	Workplace Hazardous Materials Information System	
ID:	Identification / Identity	>	Greater Than	
IDLH:	Immediate Danger to Life or Health	<	Less Than	
IMDG:	International Maritime Dangerous Goods	73/78:	1973 & 1978	
LC:	Lethal Concentration	ADG	Australian Damgerous Goods	

Creation Date:	Version:	Date:
01/15/09	1	1/15/09 - FP
	2	3/13/15 - FP
	3	6/26/15 - WA
	4	3/21/16 - JL
	5	7/17/2017 - sp
	6	7/5/2018 –sp
	7	9/7/2019 – sp

END SAFETY DATA SHEET