

# MATERIAL SAFETY DATA SHEET

Revision Date: 16/04/2019

Transport/Fire Emergency: **000** (Emergency Services) Medical Emergency: **131126** (Poisons information)

# Speedball Drawing Fluid (4531)

409 GORE ST FITZROY VIC 3065 T: +61 3 9419 5559 F: +61 3 9419 4232 E: <u>info@hfaw.com</u>

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PRODUCT NAME:	Speedball Drawing Fluid
OTHER NAMES:	
APPLICATION OF SUBSTANCE:	Apply your design with a brush directly on to the screen for "positive method" printing. Use in conjunction with Speedball Screen Filler.
MANUFACTURED BY:	Speedball Art Products Co. 2301 Speedball Road Statesville , NC 28677 USA
CONTACT NUMBERS:	Phone: 704-978-4166 Fax: 1-704-838-1472 Email: budmartin@speedballart.com

# 2. HAZARDOUS INFORMATION

Product labeling conforms to ASTM D-4236. Approved for the AP seal as per the Art & Craft Materials Institute, Inc. (ACMI). Note: This product has been certified to be non-toxic. This product has been evaluated by a Toxicologist only as per intended usage. DO NOT DEVIATE FROM INTENDED USE.

MANUFACTURER'S CODE:	4531
UN NUMBER:	N/A
DANGEROUS GOODS CLASS AND SUBSIDIARY RISK:	N/A
HAZCHEM CODE:	N/A
POISONS SCHEDULE NUMBER:	N/A
PACKAGING GROUP:	N/A
HAZARD CATEGORY:	N/A
CLASS:	N/A

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

No hazardous ingredients.

4. FIRST AID MEASURES	
GENERAL:	N/A
INHALATION:	N/A
EYE CONTACT:	If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care.
SKIN CONTACT:	N/A
INGESTION:	N/A

5. FIRE FIGHTING MEASURES	
EXTINGUISHING MEDIA:	N/A
DO NOT USE:	N/A
DEGREE OF FIRE RISK:	N/A
RECOMMENDATIONS:	Wear self-contained breathing apparatus (pressure-demand MSHA/ NIOSH approved or equivalent) and full protective gear. Material can spatter above 212°F. Film can burn.

# 6. ACCIDENTAL RELEASE MEASURES

Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material.

7. HANDLING AND STORAGE	
HANDLING:	Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.
STORAGE:	Keep out of reach of children. Refrigerate after opening to protect from mould.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION	
ENGINEERING MEASURES:	N/A
PERSONAL PROTECTION	
RESPIRATORY PROTECTION:	N/A
HAND PROTECTION:	N/A
EYE PROTECTION:	N/A
SKIN PROTECTION:	N/A

9. PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE:	Blue liquid

9. PHYSICAL AND CHEMICAL PROPERTIES	
FLASH POINT:	N/A
BOILING POINT:	100°C (212°F)
VAPOUR PRESSURE:	N/A
VAPOUR DENSITY:	< 1
SPECIFIC GRAVITY:	1.19
SOLUBILITY IN WATER:	Dilutable
MELTING POINT:	< 0°C (32°F)

# **10. STABILITY AND REACTIVITY**

Stable. Non explosive, non reactive

# 11. TOXICOLOGICAL INFORMATION

No effects expected.

## 12. ECOLOGICAL INFORMATION

No harmful effects known other than those associated with suspended inert solids in water.

## 13. DISPOSAL CONSIDERATIONS

Observe all Federal, State and local laws concerning health and environment.

## 14. TRANSPORT INFORMATION

N/A

## **15. REGULATORY INFORMATION**

Contents of this SDS comply with OSHA Hazard Communication Standard 29 CFR 1901.1200 EPA SARA title 3 chemical listings: none Section 302.4 Extremely Hazardous Substances (40 CFR 355): none Section 313 Toxic Chemicals (40 CFR 372): none

# **16. OTHER INFORMATION**

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.